



Java with Eclipse: Setup & Getting Started

Originals of slides and source code for examples: <http://courses.coreservlets.com/Course-Materials/java.html>
Also see Java 8 tutorial: <http://www.coreservlets.com/java-8-tutorial/>, and many other Java EE tutorials: <http://www.coreservlets.com/>
Customized Java training courses (onsite or at public venues): <http://courses.coreservlets.com/java-training.html>

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.



For customized training related to Java or JavaScript, please email hall@coreservlets.com
Marty is also available for consulting and development support

The instructor is author of several popular Java EE books, two of the most popular Safari videos on Java and JavaScript, and this tutorial.

Courses available at public venues, or custom versions can be held on-site at your organization.

- **Courses developed and taught by Marty Hall**
 - JSF 2.3, PrimeFaces, Java programming (using Java 8, for those new to Java), Java 8 (for Java 7 programmers), JavaScript, jQuery, Angular 2, Ext JS, Spring Framework, Spring MVC, Android, GWT, custom mix of topics.
 - Java 9 training coming soon.
 - Courses available in any state or country.
 - Maryland/DC companies can also choose afternoon/evening courses.
- **Courses developed and taught by coreservlets.com experts (edited by Marty)**
 - Hadoop, Spark, Hibernate/JPA, HTML5, RESTful Web Services

Contact hall@coreservlets.com for details



Topics in This Section

- **Measuring Java popularity**
- **Installing Java**
- **Installing and configuring Eclipse**
- **Importing sample projects**
- **Executing desktop programs from Eclipse**
- **Executing Java programs manually**
- **Using Beanshell**
- **Using Eclipse shortcuts**

4

coreservlets.com – custom onsite training



Popularity of Java

Slides © 2016 [Marty Hall](http://www.coreservlets.com), hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Overview

- **Ways to measure language usage**

- Job postings
- Google searches
- PYPL index
- Tiobe index


- **Caveats**

- All measures are rough at best
- “More popular” does not mean “better”
 - Also, different languages excel at different tasks, so “overall best” language is probably not a meaningful term
- Things can change quickly in the software world

6

Job Postings


<http://www.indeed.com/jobtrends>



Y axis tracks percent of total job postings, not absolute numbers. So, for example, when all the curves go down, it is likely due to a stronger economy with many more teacher and construction jobs. Only the relative values are important.

Google Searches


<https://www.google.com/trends/>



PYPL Index

<http://pypl.github.io>

PYPL PopularITy of Programming Language



Worldwide, Mar 2016 compared to a year ago:

Rank	Change	Language	Share	Trend
1		Java	24.1 %	+0.2 %
2	↑	Python	12.1 %	+1.4 %
3	↓	PHP	10.6 %	-0.9 %
4		C#	8.8 %	-0.1 %
5		C++	7.5 %	-0.4 %
6		C	7.4 %	+0.2 %
7		Javascript	7.4 %	+0.4 %


Note the logarithmic scale for the y axis. See sidebar at right for absolute numbers.

Tiobe Language Usage Index

http://www.tiobe.com/tiobe_index

TIOBE Programming Community Index

Source: www.tiobe.com



coreservlets.com – custom onsite training



Installing Java

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Java SE vs. Java EE

- **Java SE (Standard Edition)**

- “Core” Java
- Java version used in this course

- **Java EE (Enterprise Edition)**

- Same core language, but adds in many libraries for Web apps and other enterprise tasks
 - For tutorials on building Web apps in Java, please see JSF and PrimeFaces tutorials at coreservlets.com
- Many or most real-life deployments start with Java SE and then get a server that is bundled with the needed Java EE libraries
 - So, most developers download Java SE, not Java EE, even if they will be doing Web or enterprise applications

12

Java SE Versions

- **Latest Java SE version**

- Latest is Java 8; Java 8 should be used for almost all new projects.
 - Java 8 was final in March 2014. This tutorial covers general Java programming integrated with Java 8, but for just the Java-8-specific topics, see <http://www.coreservlets.com/java-8-tutorial/>.
 - Java 9 release scheduled for March 2017. Onsite Java 9 training from coreservlets.com coming soon. Email hall@coreservlets.com if interested.

- **Java SE naming conventions**

- Naming conventions are confusing
 - Java 8 == JDK 1.8
 - Java 7 == JDK 1.7
 - Java 6 == JDK 1.6
 - Java 5 == JDK 1.5
 - Java 2, version 1.4 == JDK 1.4

13

Features of Recent Java Versions

- **Java 5**
 - Major update. Generics, varargs, printf, @Override, new “for” loop.
- **Java 6**
 - Minor update. Updates to collections, Swing, etc.
- **Java 7**
 - Medium update. Fork/join framework, diamond operator, Strings in switch statements, try-with-resources, updates to Swing (especially new look and feel).
- **Java 8**
 - Major update. Lambdas for functional programming. Streams for bulk operations. Final version March 2014.
 - See tutorial at <http://www.coreservlets.com/java-8-tutorial/>

14

Which Java SE Version Should You Use?

- **Server-side applications**
 - Use the latest Java version that your app server supports
 - JDK 1.5 – 1.8, depending on how old your server is
 - If you can choose, use JDK 1.8 (but 1.7 still moderately common as of mid-2016)
- **Desktop apps**
 - For best power and speed, use Java 8 (aka JDK 1.8)
 - Even old projects can probably run on Java 8 unchanged
- **Android phone apps**
 - Through Marshmallow, only Java 6 supported. Android Nougat to support Java 8.
- **Browser apps (Applets or Java WebStart)**
 - In recent browsers, Java must be explicitly enabled
 - For intranet apps, use Java 8. Rarely used for internet apps.


15

Installing Java SE (Standard Edition)

- **Install Java**

<http://www.oracle.com/technetwork/java/javase/downloads/>

Use this version. The "JDK – Java Development Kit" includes compiler for java files, whereas the "JRE – Java Runtime Environment" is only for executing prebuilt .class files.



This tutorial uses Eclipse, but if you prefer the NetBeans environment, it is very easy to adapt the instructions to that development environment. So, if you prefer NetBeans or your organization has standardized on it, use this download instead of (not in addition to) the one below.

- **Bookmark the Java API ("JavaDocs")**

- <http://docs.oracle.com/javase/8/docs/api/>
- <http://docs.oracle.com/javase/7/docs/api/> (if you need old version)
 - This is the most important Java reference for developers
 - Eclipse integrates this API, but a separate link is still good

16

coreservlets.com – custom onsite training



Installing Eclipse

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.


Installing Eclipse

- **Overview**

- Eclipse is a free open source IDE. Support for Java, Android, HTML, CSS, JavaScript, C++, PHP, JSF, servlets, JSON, and more.
 - <http://eclipse.org/downloads/>
 - Choose “Eclipse IDE for Java EE Developers”

- **Features**

- Checks your syntax as you type
- Automatically compiles every time you save file
- Many tools: refactoring, debugging, server integration, templates for common tasks, etc.
 - Low learning curve:
beginners can use Eclipse without knowing these tools



NetBeans and IntelliJ are two other popular IDEs (Integrated Development Environments) for Java. There is no agreement on which is better, but there is clear empirical evidence on which is more widely used.

Graph from <http://pypl.github.io/IDE.html>. Note the log scale.

18

Running Eclipse

- **Use installer (Mars and later) or just unzip downloaded file**


- Call the folder you unzip into “installDir”

- **Double click eclipse.exe (Mac/Linux similar)**

- From *installDir/bin*
 - Pic is for Windows, but Mac and Linux are similar

- **Click on “Workbench” icon**

- Next time you bring up Eclipse, it will come up in workbench automatically



- **Shortcut**

- Many developers put Eclipse link on their desktop
 - R-click eclipse.exe, Copy, then go to desktop, R-click, and Paste Shortcut (not just Paste!)




19

Eclipse: Running Programs

• Executing program from existing project

- Open existing project
- Double click Java file to bring it up in editor
- R-click anywhere in code
- Select Run As → Java Application
- Output goes in Console at bottom




- Note: Class must have a “main” method – this is explained in the upcoming basic syntax section

20

Eclipse: Making Projects

• Main steps

- File → New → Project → Java → Java Project
 - Pick any name
- If you plan to run from command line
 - Choose sources/classes in same project folder



21


Eclipse: Creating Classes

- **Main steps**

- R-click on project → New → Class
- Choose a capitalized class name (e.g., Class1 or MyFirstClass)
 - You can have Eclipse make “main” when class is created, but easier to use shortcut to insert it later
 - Eventually you will make package (subdirectory) first, then put class there Packages explained in upcoming section

- **Alternative**

- Can also copy/rename existing class



22

coreservlets.com – custom onsite training



Building Java Manually (Rare)

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Creating and Running Program

- **Create the .java file**

- Write and save a file (say **Test.java**) that defines public class **Test**
 - Other than “real” Java IDEs (e.g., Eclipse, NetBeans, IntelliJ IDEA), there are a number of text editors (e.g., TextPad, UltraEdit, vi, emacs) with good Java support.
- File and class names are case sensitive

- **Compile the the .java file**

- Compile Test.java
 - > **javac Test.java**
 - This step creates a file called Test.class

- **Run the .class file**

- > **java Test**
- This step assumes your class has “main” method

24

coreservlets.com – custom onsite training



Simple Examples

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Installing Sample Projects


- **Code from all tutorials is available online**
 - <http://courses.coreservlets.com/>
 - Click on Java tutorial on top left of page
- **Import project into Eclipse**
 - Click on appropriate tutorial section
 - Download ZIP file
 - The one for this section is called “intro”
 - Start Eclipse and go to Workbench
 - File → Import → General → Existing Projects into Workspace → Select archive file (not “Select root directory”).
 - Then browse to ZIP file you downloaded, OK, Finish

26

Basic Hello World Application

- **File HelloWorld.java:**

```
public class HelloWorld {  
    public static void main(String[] args) {  
        System.out.println("Hello, world.");  
    }  
}
```



- **Notes**

- “Application” is lingo for a stand-alone Java program, i.e., an application is a Java class that contains “main”
 - Most Java classes do not contain “main”, but only those that contain “main” can be *directly* executed

27


Executing HelloWorld

- **In Eclipse (recommended)**

- Compiling
 - Done automatically whenever you save a file
- Executing
 - R-click inside window, then Run As → Java Application
 - You can also click green arrow at top of Eclipse
- Output (see “Console” tab at bottom)
 - Hello, World

- **Manually (rare)**

- Compiling
 - javac HelloWorld.java
- Executing
 - java HelloWorld
- Output
 - Hello, World



```
1 public class HelloWorld {
2     public static void main(String[] args) {
3         System.out.println("Hello, world.");
4     }
5 }
```

Console: <terminated> HelloWorld [Java Application] C:\Program Files\Java\jdk1.8.0_45\bin\javaw.exe (May 20, 2015, 3:00:46 PM)
Hello, world.

28

coreservlets.com – custom onsite training



Using Beanshell

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Overview

- **Beanshell is a way to run Java commands interactively**
 - Like the command prompt in Python, Basic, Lisp, etc.
 - Or like the JavaScript console in recent browsers
 - Good for beginner practice
 - Java 9 will include an even better console called JShell. Details coming soon.

- **Examples**

```
bsh % System.out.println("hi");
```

```
hi
```

```
bsh % String message = "Hello";
```

```
bsh % System.out.println(message);
```

```
Hello
```

```
bsh % public int getFavoriteNum() { return(7); }
```

```
bsh % System.out.println("Favorite num is " + getFavoriteNum());
```

```
Favorite num is 7
```


30

Steps


- **Download beanshell**
 - <http://www.beanshell.org/download.html>
 - Beanshell is also included in “intro” project of this tutorial
- **Run beanshell**
 - Double-click the .jar file
 - If it won't launch on double click, see <http://stackoverflow.com/questions/8511063/how-to-run-jar-file-by-double-click-on-windows-7-64>
 - Go to File menu and select “Capture System in/out/err”
 - Enter Java commands and see the results
 - Define variables, define methods, call methods, etc.
- **More info**
 - http://www.beanshell.org/manual/bshmanual.html#Quick_Start

31

Example



- Double click
- Choose "Capture System in/out/err"
- Enter Java commands interactively



coreservlets.com – custom onsite training



Some Eclipse Shortcuts

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

A Few Eclipse Tricks

- **Making a new project**
 - File → New → Project → Java → Java Project
- **Making new package**
 - R-click project, New → Package
- **Making a new class**
 - R-click package, New → Class
- **Autocompletion**
 - Type part of a class or method name, Control-Space
- **Inserting main method**
 - Type the word “main”, then Control-Space
- **Inserting System.out.println**
 - Type the word “sysout”, then Control-Space
- **Renaming a class, variable, or method**
 - Select class, variable, or method, R-click, Refactor → Rename
 - Will also change all places that refer to it

34

coreservlets.com – custom onsite training



Wrap-Up

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.

Summary

- **Downloading Java**
 - <http://www.oracle.com/technetwork/java/javase/downloads/>
- **Bookmarking the Java API**
 - <http://docs.oracle.com/javase/8/docs/api/> (or .../7/...)
- **Downloading Eclipse**
 - <http://eclipse.org/downloads/>
- **Downloading sample projects**
 - <http://www.coreservlets.com/>
 - Click on Java Programming tutorial on top left
 - Import with File → Import → Existing Projects ...
- **Executing a class that has “main”**
 - R-click in code, Run As → Java Application

36

coreservlets.com – custom onsite training



Questions?

More info:

<http://courses.coreservlets.com/Course-Materials/java.html> – General Java programming tutorial

<http://www.coreservlets.com/java-8-tutorial/> – Java 8 tutorial

<http://courses.coreservlets.com/java-training.html> – Customized Java training courses, at public venues or onsite at your organization

<http://coreservlets.com/> – JSF 2, PrimeFaces, Java 7 or 8, Ajax, jQuery, Hadoop, RESTful Web Services, Android, HTML5, Spring, Hibernate, Servlets, JSP, GWT, and other Java EE training
Many additional free tutorials at coreservlets.com (JSF, Android, Ajax, Hadoop, and lots more)

Slides © 2016 Marty Hall, hall@coreservlets.com



For additional materials, please see <http://www.coreservlets.com/>. The Java tutorial section contains complete source code for all examples in this tutorial series, plus exercises and exercise solutions for each topic.